



Comfort is in the air

RR FANS

Comfort is in the air

RR Electric has a wide range for both domestic and industrial customers. The range encompasses of the entire spectrum from ceiling, wall, table fans, pedestal, domestic exhaust fans and industrial fans.

RR Electric is proud to launch Super Power Saver 28W Ceiling Fan under the brand name "MH Classic"- India's Lowest Wattage Branded Ceiling Fan. This Super Power Saver Ceiling Fan comes with service value of 8.0 plus. It saves 60% power compared to a conventional fan.





Decorative Under Light Fans

STRILLARE Ceiling Fan



PROCELLA Ceiling Fan



Chocolate Brown Chrome



White Chrome



Antique Finish



White

FEATURES

- Electroplated motor covers, canopy, blade bracket & down rod
- Chrome plated 5 aluminum blades
- Innovative designed light kit assembly
- 14 pole powerful motor
- Super silent operation

SWEEP (mm)	POWER	SPEED	AD
1200	72 W	330 RPM	203 CMM

FEATURES

- Finish to suit modern interiors
- Antique finish motor body & 4 blades
- Innovative designed light kit assembly
- 14 pole powerful motor
- Super silent operation

SWEEP (mm)	POWER	SPEED	AD
1200	75 W	330 RPM	203 CMM



Aerodynamic Plastic Blade Fan

VRAPTOR - Aerodynamic Plastic Blade Fan



VINDR+ Ceiling Fan



White



Pearl Brown



Aerodynamic Blades



High air Delivery



Noiseless operation



Superior PU finish



Strong 18 pole high torque copper wire motor



Also available in Rose Gold color



Pearl white

FEATURES


- High air Delivery
- Aerodynamic Blades
- Noiseless operation
- Superior PU finish
- Strong 18 pole high torque copper wire motor

SWEEP (mm)	POWER	SPEED	AD
1200	75 W	260 RPM	235 CMM

FEATURES

- Strong motor to operate even at low voltage conditions
- Superior high speed performance
- Specially designed aluminium blades for wider air circulation
- High Lift angle of blade for wide air spread
- Sleek and light weight aluminium body
- Double-shielded ball bearings ensure operational reliability
- A beautifully crafted decorative fan with metallic colours
- Also available in Ivory metallic brown colour

SWEEP (mm)	POWER	SPEED	AD
1200	75 W	400 RPM	235 CMM



Premium Fans

PRODIGO Ceiling Fan



GROOVY Ceiling Fan



Antique Brass



Metallic Brown



Antique Copper Finish



Antique Brass Finish

FEATURES


- Premium fan with full antique brass & metallic brown finish
- Elegant look
- Antique brass bottom show cap
- Precisely balanced aerodynamically designed blades

SWEEP (mm)	POWER	SPEED	AD
1200	75 W	340 RPM	210 CMM

FEATURES

- Electroplated motor covers, blade set, down rod & canopy
- 14 pole powerful motor
- Super silent operation
- Innovative design
- Also available in Antique steel finish colour

SWEEP (mm)	POWER	SPEED	AD
1200	72 W	350 RPM	210 CMM



Decorative Fans

VOGUSH Ceiling Fan




CALID Ceiling Fan



Golden Brown Finish



Metallic Black



Matt Brown Finish



Pearl Silver Finish



Ocean Green



Pearl White

FEATURES

- Ornatly designed blade with trims & ring
- Available in powder coated finish
- Aluminium die cast motor & blades
- Powerful motor ensures longer life
- Elegant look

SWEEP (mm)	POWER	SPEED	AD
1200	77 W	350 RPM	215 CMM

FEATURES

- Elegant designed with decorative ring & trim
- Air delivery for 230 cu.m/min
- Aluminium blade to avoid corrosion
- Strong motor with high air delivery
- Aluminium die cast motor body

SWEEP (mm)	POWER	SPEED	AD
1200	75 W	380 RPM	230 CMM



Decorative Fans

CELERITY Ceiling Fan



BRISA Ceiling Fan



Marine Blue



Pearl White



Caramel Gold



Chestnut Brown



Steel Grey



Brown



Persian Blue



Caramel Gold



White

FEATURES

- Ornately designed blade trims & ring gives a look of elegance
- Available in attractive metallic paint finish
- Aluminium die cast motor & blades
- Powerful motor ensures longer life
- Elegant air delivery

SWEEP (mm)	POWER	SPEED	AD
1200	74 W	340 RPM	235 CMM

FEATURES

- Wider, aerodynamically designed aluminium blades for effective air circulation
- Powerful motor ensures longer life & higher air thrust
- Exotic blade trims & body ring
- Superior air delivery

SWEEP (mm)	POWER	SPEED	AD
1200	75 W	380 RPM	230 CMM



Decorative Fans

GEORGIA+ Ceiling Fan



Champagne Topaz



Ivory



Matt Brown



Pearl White



White

FEATURES

- Precisely balanced aerodynamically designed blades
- Gorgeous shape & matching canopy with gold ring
- Aluminium die cast motor & blades
- Robust motor with high air delivery

SWEEP (mm)	POWER	SPEED	AD
900	68 W	430 RPM	160 CMM
1050	70 W	400 RPM	190 CMM
1200	72 W	380 RPM	230 CMM
1400	78 W	300 RPM	250 CMM



Decorative Fans

VAYOO SUPER Ceiling Fan



Pearl Brown



HIGH SPEED

Also available in Caramel Gold Color



low Voltage operation



Pearl White

FEATURES

- Precisely balanced aerodynamically designed blades
- Suitable for low voltage operation
- Aluminium die cast motor & blades

SWEEP (mm)	POWER	SPEED	AD
1200	74 W	380 RPM	215 CMM

FLOMAX+ Ceiling Fan



Ivory



HIGH SPEED



Lustre Brown



White

FEATURES

- Decorative ceiling fan
- Aluminium pressure die cast motor body
- Strong motor with high air delivery
- Double ball bearings for smooth operation
- Powder coated surface finish for better scratch resistance

SWEEP (mm)	POWER	SPEED	AD
1200	74 W	400 RPM	220 CMM



GEORGIA Ceiling Fan



VINDR Ceiling Fan



Matt Brown



Caramel Gold



Champagne Topaz



Granite Grey



Pearl White



Pearl Brown



Pearl White



FEATURES

- Precisely balanced aerodynamically designed blades
- Gorgeous shape & matching canopy with gold ring
- Aluminium die cast motor & blades
- Robust motor with high air delivery

SWEEP (mm)	POWER	SPEED	AD
1200	75 W	380 RPM	230 CMM

FEATURES

- Strong motor to operate even at low voltage conditions
- Superior high speed performance
- Specially designed aluminium blades for wider air circulation
- High Lift angle of blade for wide air spread
- Sleek and light weight aluminium body
- Double-shielded ball bearings ensure operational reliability
- A beautifully crafted decorative fan with metallic colours
- Also available in Ivory metallic brown colour

SWEEP (mm)	POWER	SPEED	AD
1200	75 W	400 RPM	235 CMM




ZWEVEN Ceiling Fan



ERMIR Ceiling Fan



Brown



Luster Brown



Ivory



White



White



FEATURES

- Precisely balanced aerodynamically designed aluminium blades
- Strong 14 pole motor for silent operation & longer life
- Aluminium pressure die cast motor body
- 5 star rated fan, with IS-374 specification
- Service value above 4.2

SWEEP (mm)	POWER	SPEED	AD
1200	50 W	345 RPM	210 CMM

FEATURES

- Precisely balanced aerodynamically designed aluminium blades
- Double ball bearings for smooth operation
- Strong 14 pole motor for silent operation & longer life
- Service value above 4.2

SWEEP (mm)	POWER	SPEED	AD
1200	50 W	340 RPM	212 CMM



VAYOO Ceiling Fan



ESAN Ceiling Fan



Luster Brown



Ivory



White



Super Fan



Brown



White

FEATURES

- Precisely balanced aerodynamically designed blades
- Suitable for low voltage operation
- Aluminium die cast motor & blades

SWEEP (mm)	POWER	SPEED	AD
600	60 W	850 RPM	105 CMM
900	68 W	440 RPM	145 CMM
1050	70 W	410 RPM	175 CMM
1200	74 W	380 RPM	215 CMM
1400	76 W	290 RPM	240 CMM

Also available Vayoo SF in 900 MM Sweep with 600 RPM

FEATURES

- High speed motor for better performance
- Specially designed blades for wider air circulation
- High Lift angle of blade for wide air spread
- High air delivery
- Double-shielded ball bearings ensure operational reliability
- Strong motor to operate even at low voltage conditions
- Also available in Ivory colour

SWEEP (mm)	POWER	SPEED	AD
1200	75 W	400 RPM	220 CMM



FLOMAX Ceiling Fan



MH CLASSIC Ceiling Fan - BLDC



Brown



Ivory



White




Lustre Brown



White

India's Lowest Wattage Branded Ceiling Fan

28 watts  super power saver



FEATURES

- Aluminium pressure die cast motor body
- Strong motor with high air delivery
- Double ball bearings for smooth operation
- Powder coated surface finish for better scratch resistance

Also available in aluminium blade (FLOMAX DLX)

SWEEP (mm)	POWER	SPEED	AD
1200	75 W	400 RPM	220 CMM
1400	75 W	290 RPM	245+ CMM

FEATURES

- **28 watts** super power saver
- **Service value of 8.0**
- Save 60% power compared with conventional ceiling fan
- Saves 40% power compared to bee 5 star rated fan
- The fan runs on full speed in low voltage
- Silent working on inverter also

SWEEP (mm)	POWER	SPEED	AD
1200	28 W	335 RPM	225 CMM



DROOT Ceiling Fan



HANISH Ceiling Fan



Brown



White



Available Size
1200mm, 1400mm

Also Available in Ivory Color



White

Available Size
1200mm, 1400mm



Brown

FEATURES

- Simple and elegant design
- Designed to give good low voltage conditions
- Superior speed performance
- high life angle of blade for wide air spread
- Double shielded ball bearing ensure operational reliability
- High air delivery
- Superior grade electric steel lamination for long life
- Speed-370rpm. (Only for 1200mm sweep)

SWEEP (mm)	POWER	SPEED	AD
1200	75 W	370 RPM	210+ CMM

FEATURES

- Simple and elegant design
- Designed to give good low voltage performance
- Superior high speed performance
- high lift angle of blade for wide air spread
- Double-shielded ball bearings ensure operational reliability
- High air delivery
- Superior grade electric steel lamination for long life
- Speed-400rpm. (High speed available only for 1200mm sweep)

SWEEP (mm)	POWER	SPEED	AD
1200	75 W	400 RPM	218 CMM




Wall Fan

DELISH Wall Fan



OXYMAX Wall Fan



FEATURES

- New indexing feature for better movement of fan for up & down position
- Unique strong, tough base design & decorative style
- Aerodynamically designed PP blades
- Oscillation 90°

SWEEP (mm)	POWER	SPEED	AD
400 (NS)	60 W	1350 RPM	70 CMM
400 (HS)	110 W	2000 RPM	100 CMM



FEATURES

- High performance motor for better air delivery
- Pull cord control for speed and oscillation ON - OFF
- Thermal overload protection with self re-setting
- Unique strong, tough base design & decorative style
- Uniform oscillation 65° - 75°
- Aerodynamically designed PP blades

SWEEP (mm)	POWER	SPEED	AD
400 (NS)	60 W	1350 RPM	70 CMM
400 (HS)	110 W	2100 RPM	100 CMM




Wall Fan

GETTO Wall Fan



VIENTO 450 mm Wall Fan



FEATURES

- New indexing feature for better movement of fan for up & down position
- Unique strong, tough base design & decorative style
- Aerodynamically designed PP blades
- Oscillation 90°
- Adjustable telescopic height

SWEEP (mm)	POWER	SPEED	AD
400 (NS)	60 W	1350 RPM	70 CMM
400 (HS)	110 W	2000 RPM	100 CMM

FEATURES

- Aerodynamically designed & Balanced Blade
- Smooth Oscillation
- Vertical Tilt adjustment
- High performance even @Low voltage
- Excellent air thrust
- Adjustable Telescopic height

SWEEP (mm)	POWER	SPEED	AD
450	125 W	1380 RPM	110 CMM



Pedestal Fans

DELISH Pedestal Fan



OXYMAX Pedestal Fan



HIGH SPEED



HIGH SPEED



Up & Down
Tilt mechanism



Motor Protection
Thermal overload protection drive



90 Degree
Oscillation



Up & Down
Tilt mechanism



Motor Protection
Thermal overload protection drive

FEATURES

- New indexing feature for better movement of fan for up & down position
- Telescopic arrangement for height adjustment upto 150 mm
- Sleek switch panel & square base to add elegance to the room
- Unique strong, tough base design & decorative style
- Aerodynamically designed PP blades
- Oscillation 90°

Also available in high speed (2000 rpm in pp blades)

SWEEP (mm)	POWER	SPEED	AD
400 (NS)	60 W	1350 RPM	70 CMM
400 (HS)	110 W	2000 RPM	100 CMM

FEATURES

- Telescopic arrangement for height adjustment upto 150 mm
- Thermal overload protection with self re-setting
- Aerodynamically designed PP blades
- Uniform oscillation 65°-75°
- Sleek switch panel & round base to add elegance to the room
- Unique strong, tough base design & decorative style

SWEEP (mm)	POWER	SPEED	AD
400 (NS)	60 W	1350 RPM	70 CMM
400 (HS)	110 W	2100 RPM	100 CMM

GETTO Pedestal Fan



Pedestal Fans



Up & Down
Tilt mechanism



Motor Protection
Thermal overload protection drive



90 Degree
Oscillation

FEATURES

- New indexing feature for better movement of fan for up & down position
- Telescopic arrangement for height adjustment upto 150 mm
- Sleek switch panel & round base to add elegance to the room
- Unique strong, tough base design & decorative style
- Aerodynamically designed PP blades

Also available in high speed (2000 rpm in pp blades)

SWEEP (mm)	POWER	SPEED	AD
400 (NS)	60 W	1350 RPM	70 CMM
400 (HS)	110 W	2000 RPM	100 CMM



Pedestal Fan



FARRATA 500MM Pedestal Fan



VIENTO 450MM Pedestal Fan



**Also Available
"Oscillation Faraata Fan"**



FEATURES

- Heavy duty capacitor motor for better energy efficiency
- Aerodynamically designed & well balanced 3 leaf broad metal blades for excellent air thrust over a distance at minimum noise level
- Heavy and large base with sturdy construction for better stability
- 2 t sound one powder coated finish for 100% resistance to corrosion & durability for longer life
- Close mesh guard for safety with matching guard ring for aesthetic look
- Telescopic height adjustment
- Vibration free operation

SIZE	POWER	RPM
500 MM	150 W	1400

FEATURES

- Aerodynamically designed & Balanced Blade
- Smooth Oscillation
- Vertical Tilt adjustment
- High performance even @ Low voltage
- Excellent air thrust
- Extra Large Metal base for stability
- Adjustable Telescopic height

SWEEP (mm)	POWER	SPEED	AD
450	125 W	1380 RPM	110 CMM

INDUSTRIAL Pedestal, Wall & Exhaust Fan



Pedestal Fan



Pedestal Fan



Wall Mount Fan



Exhaust Fan

FEATURES

- Heavier base to ensure absolute stability
- Oscillation to 85o to cater to wider area
- Lower power consumption
- Heavy duty, completely enclosed, energy efficient double ball bearing induction motors
- Metal frame with rubber mounting for silent operations
- Dust resistant motor ensures longer life
- Long lasting epoxy powder coating

Generally conforming to IS & having IEC registration





Table Fan

DELISH Table Fan



OXYMAX Table Fan



Up & Down
Tilt mechanism



Motor Protection
Thermal overload protection drive



90 Degree
Oscillation



Up & Down
Tilt mechanism



Motor Protection
Thermal overload protection drive

FEATURES

- New indexing feature for better movement Of fan for up & down position
- Unique strong, tough base design & decorative style
- Aerodynamically designed PP blades
- Oscillation 90°

SWEEP (mm)	POWER	SPEED	AD
400 (NS)	60 W	1350 RPM	70 CMM
400 (HS)	110 W	2000 RPM	100 CMM

FEATURES

- Thermal overload protection with self re-setting
- Sleek switch panel & round base to add elegance to the room
- Unique strong, tough base design & decorative style
- Uniform oscillation 65° - 75°
- Available in 400 mm sweep size
- Aerodynamically designed PP blades

SWEEP (mm)	POWER	SPEED	AD
400 (NS)	60 W	1350 RPM	70 CMM
400 (HS)	110 W	2100 RPM	100 CMM

GETTO Table Fan



Table Fan



Up & Down
Tilt mechanism



Motor Protection
Thermal overload protection drive



90 Degree
Oscillation

FEATURES

- New indexing feature for better movement of fan for up & down position
- Sleek switch panel & square base to add elegance to the room
- Unique strong, tough base design & decorative style
- Aerodynamically designed PP blades
- Oscillation 90°

SWEEP (mm)	POWER	SPEED	AD
400 (NS)	60 W	1350 RPM	70 CMM
400 (HS)	110 W	2000 RPM	100 CMM



Ventilation Fan

OXYFLO ss Ventilation Fan




OXYFLO GRL Ventilation Fan




 **Silent Performance**
Not Sound

 **Powerful Motor**
For effective weather control



 **Silent Performance**
Not Sound

 **Powerful Motor**
For effective weather control

FEATURES

- Innovative modern design in stainless steel metal finish
- High quality motor for effective weather control

Also available in ivory color

SWEEP (mm)	POWER	SPEED	AD	DUCT SIZE
4"	15 W	2400 RPM	140 Cu.m/hr	98 MM Ø
6"	20 W	2000 RPM	275 Cu.m/hr	145 MM Ø

FEATURES

- Innovative modern design
- High quality motor for effective weather control

Also available in black & brown color

SWEEP (mm)	POWER	SPEED	AD	DUCT SIZE
4"	15 W	2400 RPM	140 Cu.m/hr	109 MM Ø
6"	20 W	2000 RPM	275 Cu.m/hr	150 MM Ø



Ventilation Fan

OXYBREEZ Ventilation Fan



OXYBREEZ DCT Ventilation Fan



FEATURES

- Aerodynamically designed PP blades for higher air delivery
- Ideal for kitchen/bathrooms
- To prevent the entry of foreign object like dust, birds and other particles, this fan comes with louvers

SWEEP (mm)	POWER	SPEED	AD	DUCT SIZE
6" (NS)	24 W	1350 RPM	330 Cu.m/hr	174x174 MM
8" (NS)	32 W	1300 RPM	570 Cu.m/hr	245x245 MM
10" (NS)	40 W	1300 RPM	750 Cu.m/hr	317x317 MM
6" (HS)	34 W	2300 RPM	570 Cu.m/hr	174x174 MM
8" (HS)	38 W	1800 RPM	823 Cu.m/hr	245x245 MM

FEATURES

- Innovative modern design suitable for best interiors
- High quality motor for effective weather control
- Suitable for duct connection

SWEEP (mm)	POWER	AD	DUCT SIZE
6" (NS)	32 W	410 Cu.m/hr	50 MM Ø
8" (NS)	38 W	500 Cu.m/hr	98 MM Ø
10" (NS)	40 W	700 Cu.m/hr	98 MM Ø

OXYBREEZ SQR Ventilation Fan



Ventilation Fan



FEATURES

- Aerodynamically designed PP blades for higher air delivery
- Bird screen for protection against bird and foreign matters
- Ideal for kitchen/ bathroom

SWEEP (mm)	POWER	SPEED	AD	DUCT SIZE
6" (NS)	34 W	2300 RPM	570 Cu.m/hr	190x185mm
8" (NS)	38 W	1800 RPM	823 Cu.m/hr	243x238mm



Ventilation Fan

OXYBREEZ BX Ventilation Fan



OXYBREEZ EX Ventilation Fan



 **Silent Performance**
Not Sound

 **Powerful Motor**
For effective weather control



 **Silent Performance**
Not Sound

 **Powerful Motor**
For effective weather control

FEATURES

- Aerodynamically designed metal blades for higher air delivery
- Bird screen for protection against bird and foreign matters
- Powder coated finish for long life
- 3 blade with copper bush motor

SWEEP (mm)	POWER	SPEED	AD	DUCT SIZE
9"	45 W	1370 RPM	600 Cu.m/hr	233x233 MM
12"	65 W	1370 RPM	1000 Cu.m/hr	317x317 MM

FEATURES

- Aerodynamically designed metal blades for higher air delivery.
- Powder coated finish for long life
- Ideal for kitchen/ bathroom.
- Bird screen for protection against bird and foreign matters.

SWEEP (mm)	POWER	SPEED	AD	MOTOR
6" (HS)	50 W	2400 RPM	410 Cu.m/hr	Bush Motor
9" (NS)	45 W	1400 RPM	750 Cu.m/hr	Double Ball Bearing Motor
12" (NS)	70 W	1400 RPM	1600 Cu.m/hr	Double Ball Bearing Motor



RAM RATNA ELECTRICALS LTD.

Corp. Office :



Ram Ratna House, Oasis Complex, P. B. Marg, Worli, Mumbai - 400 013.

T : +91 - 22 - 2494 9009 / 2492 4144 • F : +91 - 22 - 2493 0203

Terms & conditions apply. The products may differ as per catalog due to continuous improvements.
The colour shade of the products shown may differ from the actual products colour due to printing limitations.

Customer Care Toll Free No: 18001032676

Service Co-ordinator: +91 9327553767 • Email: customercare@rrglobal.com

Follow us on  | 

www.rrelectric.in