



RR FANS

COMFORT
ELEGANCE
ECONOMY



FANS CATALOGUE




Comfort is in the air

RR Fans Product range is offered by RR Global, a USD 850 Million conglomerate in the electrical sector with a presence in over 85 countries globally.

Flagship brand RR Kabel (Wires & Cables) along with other Consumer Products Brand RR Fans, RR Lighting, RR Switches, RR Appliances and Arraystorm (Commercial Lighting) are part of marquee RR Global Brand.

RR Fans offer a wide range which is premium looking, high on performance and priced economically for various residential, commercial, institutional and industrial purposes. The range spectrum spreads across Ceiling Fans, Table / Wall / Pedestal Fans, Ventilation Fans, Exhaust Fans (Light Duty / Heavy Duty), Air circulators and HVLS Fan.





CEILING FANS

VRAPTOR



White

FEATURES

- High air Delivery
- Aerodynamic Plastic Blades
- Noiseless operation
- Superior PU finish

TECHNICAL SPECIFICATION

SWEEP (mm)	POWER	SPEED	AD
1200	75W	260 RPM	203 m ³ /min



Aerodynamic Plastic Blades



High Air Thrust



Powerful motor



Superior PU finish



Noiseless operation



CELERITY




Marine Blue

FEATURES

- Exotic Rich Looks with Metallic Paint Finish.
- Modern Styling with decorative Ring and Trims.
- Superior Air Delivery Performance : 230m³/min

TECHNICAL SPECIFICATION

SWEEP (mm)	POWER	SPEED	AD
1200	75W	340 RPM	230 m ³ /min




Powerful motor



Aerodynamic Blades



Noiseless operation



Pearl White



Caramel Gold



Chestnut Brown



Steel Grey



Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.

CALID




Metallic Black

FEATURES

- Exotic Rich Looks with Metallic Paint Finish.
- Modern Styling with decorative Ring and Trims.
- Superior Air Delivery Performance : 230m³/min

TECHNICAL SPECIFICATION

SWEEP (mm)	POWER	SPEED	AD
1200	75W	380 RPM	230m ³ /min



Powerful motor



Noiseless operation




High Air Thrust



High Speed @380 rpm



Ocean Green



Pearl White



Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.

VINDR⁺



Pearl Brown



FEATURES

- High Speed Decorative Fan
- Anti Dust metallic paint finish
- Wide and long aluminium blades for wider air circulation.

TECHNICAL SPECIFICATION

SWEEP (mm)	POWER	SPEED	AD
1200	75W	400 RPM	230 m ³ /min



Noiseless operation



High Air Thrust



High Speed @400 rpm



Pearl white

Also available in Rose Gold color



Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.

VAYOO SUPER



Pearl Brown



FEATURES

- Dust retardant blades for less dust accumulation.
- High Speed (380 RPM) for Breeze effect.
- Aerodynamic blades for high efficiency and low noise.

TECHNICAL SPECIFICATION

SWEEP (mm)	POWER	SPEED	AD
1200	74W	380 RPM	220m ³ /min



Noiseless operation



Aerodynamic Blades



High Air Thrust



High Speed @380 rpm



Pearl White

Also available in Caramel Gold Color



Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.

VINDR



Caramel Gold



Pearl Brown



Pearl White

FEATURES

- Strong motor to operate even at low voltage conditions.
- Anti Dust metallic paint finish
- Wide and long aluminium blades for wider air circulation.
- Sleek and light weight aluminium body.

TECHNICAL SPECIFICATION

SWEEP (mm)	POWER	SPEED	AD
1200	75W	400 RPM	230 m ³ /min



Powerful motor



Noiseless operation



High Air Thrust



High Speed @ 400 rpm

VAYOO



White

FEATURES

- Precisely balanced aerodynamically designed blades
- Suitable for low voltage operation
- Aluminium die cast motor & blades

TECHNICAL SPECIFICATION

SWEEP (mm)	POWER	SPEED	AD
600	65 W	750 RPM	105 m ³ /min
900	68W	440 RPM	145 m ³ /min
900 (SF)	78W	600 RPM	145 m ³ /min
1200	74 W	380 RPM	220 m ³ /min
1400	76 W	290 RPM	240 m ³ /min

Also Available in Vayoo SF in 900 mm sweep with 600 RPM "

AVAILABLE COLOUR



Luster Brown



Ivory



Low Voltage Operation



Aerodynamic Blades



Noiseless operation



High Speed



FLOMAX+



Ivory

FEATURES

- Decorative ceiling fan
- Aluminium pressure die cast motor body
- Strong motor with high air delivery
- Double ball bearings for smooth operation
- Powder coated surface finish for better scratch resistance

TECHNICAL SPECIFICATION

SWEEP (mm)	POWER	SPEED	AD
1200	74W	400 RPM	220 m ³ /min



Brown



White



Double ball bearings



High Air Thrust



High Speed @ 400 rpm



Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.

FLOMAX



Brown

FEATURES

- Aluminium pressure die cast motor body
- Strong motor with high air delivery
- Double ball bearings for smooth operation
- Powder coated surface finish for better scratch resistance

TECHNICAL SPECIFICATION

SWEEP (mm)	POWER	SPEED	AD
900	70W	440 RPM	145 m ³ /min
1200	75W	400 RPM	220 m ³ /min
1400	75W	260 RPM	245+ m ³ /min



Double ball bearings



High Air Thrust



High Speed

AVAILABLE COLOUR



White



Ivory



Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.

DROOT



Brown

FEATURES

- Elegant Simple Design
- Superior High speed Performance
- High Lift Angle of Blade for wider Air Spread
- Operational at Low Voltage as well
- Double Shielded Ball Bearing in Motor for Long Life

TECHNICAL SPECIFICATION

SWEEP (mm)	POWER	SPEED	AD
1200	75W	370 RPM	210+ m ³ /min



Low Voltage Operation



Double ball bearings



High Air Thrust



High Speed @370 rpm

AVAILABLE COLOUR



White



Ivory



Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.

MH CLASSIC



White

27W BLDC FAN



BEE/RAM/0301/14

AVAILABLE COLOUR



White



Ivory



Brown



ALSO AVAILABLE WITH REGULATOR

FEATURES

- 27W Super Power Saver with BLDC Motor
- Very high service value 8.03 (Better energy efficiency and Air delivery)
- Total Harmonic Distortion (THD) ≤ 10%, ensures safe running on inverter

TECHNICAL SPECIFICATION

SWEEP (mm)	POWER	SPEED	AD
1200	27W	335 RPM	217 m ³ /min



Energy Efficient BLDC Motor



Save upto ₹ 2000 per year[†]



Low Power Consumption



Inverter compatible



THD ≤ 10%



[†]Basis: Compared against regular 75W ceiling fan running 365 days continuously cost of 1 kWh = ₹ 5

*Product available only for Turnkey Projects; not offered in General Trade.

Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.

ZWEVEN




Brown

FEATURES

- Precisely balanced aerodynamically designed aluminium blades.
- Strong 14 pole motor for silent operation & longer life.
- Aluminium pressure die cast motor body.
- Service value above 4.2.

TECHNICAL SPECIFICATION

SWEEP (mm)	POWER	SPEED	AD
1200	50 W	340 RPM	210 m ³ /min



Powerful motor



Noiseless operation



Aerodynamic Blades

IS 374:1979



CML/NO 4844678



AVAILABLE COLOUR



White



Ivory

*Product available only for Turnkey Projects; not offered in General Trade.

Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.

ERMIR



Luster Brown

FEATURES:

- Precisely balanced aerodynamically designed aluminium blades.
- Double ball bearings for smooth operation.
- Strong 14 pole motor for silent operation & longer life.
- Service value above 4.2

TECHNICAL SPECIFICATION

SWEEP (mm)	POWER	SPEED	AD
1200	50W	340 RPM	212 m ³ /min



Powerful motor



Double ball bearings



Aerodynamic Blades

IS 374:2019



CML/NO 4844678



AVAILABLE COLOUR



White



Ivory

*Product available only for Turnkey Projects; not offered in General Trade.

Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.

HANISH



White

AVAILABLE COLOUR



Brown



Ivory

FEATURES:

- Superior high speed performance.
- High lift angle of blade for wide air spread.
- Double-shielded ball bearings ensure operational reliability.
- High air delivery.
- Superior grade electric steel lamination for long life.

TECHNICAL SPECIFICATION

SWEEP (mm)	POWER	SPEED	AD
1200	75W	400 RPM	218 m ³ /min



Low Voltage
Operation



Double ball
bearings



High Air
Thrust




High Speed
@ 400 rpm

RR FANS

*Product available only for Turnkey Projects; not offered in General Trade.

Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.





GETTO

TPW FANS



FEATURES:

- Elegant Design to elevate your room decor
- Powder Coated Guard and Polymer ring to protect against corrosion
- Tilt adjustment for adjusting the fan at desired angle
- In-built Thermal Overload Protector for enhanced Safety

TECHNICAL SPECIFICATION

SWEEP (mm)	POWER	SPEED	AD
400 (NS)	60W	1350 RPM	70 m ³ /min




High air thrust



Aerodynamically designed PP blades



3 Speed Switch Control



Adjustable height*

Colour :



*Applicable to only Pedestal fan

Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.



CALID

FEATURES:

- Powerful motor with high grade copper
- Smooth oscillation
- Rust-proof body and blades
- Elegant Design

TECHNICAL SPECIFICATION

SWEEP (mm)	POWER	SPEED	AD
400 (NS)	58W	1330 RPM	70 m ³ /min



Powerful motor



90° Oscillation




Silent Operation
Even on inverter



Adjustable height*

Colour : Blue



RR FANS

*Applicable to only Pedestal fan

Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.

CALID



FEATURES:

- Powerful motor with high grade copper
- Smooth oscillation
- Rust-proof body and blades
- Elegant Design

TECHNICAL SPECIFICATION

SWEEP (mm)	POWER	SPEED	AD
400 (HS)	115W	2150 RPM	80 m ³ /min



High Speed
@2,150 rpm



Powerful motor



Thermal Overload
Protection (TOP)



Adjustable
height*

Colour : Ash grey




RR FANS

*Applicable to only Pedestal fan

Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.

FARRATA




FEATURES:

- Heavy Duty Motor
- High Air Thrust with minimal noise
- Heavy Base for better Stability
- Telescopic height adjustment (790-1000) mm

TECHNICAL SPECIFICATION


SWEEP (mm)	POWER	SPEED
500	150 W	1400 RPM



Powerful Copper
Bush Motor



High
Air Delivery



Adjustable
height

Also Available
"Oscillating Farrata Fan"

RR FANS

Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.

GYROS II



FEATURES:


- High Air Thrust with minimal noise
- Heavy Base for better Stability

TECHNICAL SPECIFICATION

SWEEP (mm)	POWER	SPEED	AD
450	100 W	2400 RPM	110 m ³ / Min



High Speed
@2400 rpm



Powerful
Motor

RR FANS

Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.



VENTILATION FANS

OXYBREEZ



Auto Dust
Protection Louvers



Powerful
Air Suction



Easy Clean

FEATURES:

- PP blades designed for powerful suction
- Anti dust Louvers to protect from foreign objects like birds
- Suitable for Washrooms / Bathrooms

TECHNICAL SPECIFICATION

SWEEP (inch)	POWER	SPEED	AD	DUCT SIZE
6	20W	1350 RPM	330m ³ /hr	174x174 mm
8	32W	1300 RPM	570m ³ /hr	245x245 mm
10	40W	1300 RPM	750m ³ /hr	317x317 mm

OXYFLO^{SS}



Silent
Performance



Easy Clean



Powerful
Air Suction

FEATURES:

- Innovative modern design in stainless steel metal finish
- High quality motor for effective weather control
- Rust proof body for durability
- Easy to mount; can be mounted on glass panel

TECHNICAL SPECIFICATION

SWEEP (inch)	POWER	SPEED	AD	DUCT SIZE
4	15W	2400 RPM	140m ³ /hr	98 Ø mm
6	20W	2000 RPM	275m ³ /hr	145 Ø mm

OXYFLO^{GRL}



Silent
Performance



Easy Clean



Powerful
Air Suction

FEATURES:

- Innovative Modern Design Suitable for best interiors
- Bird screen for protection against bird and foreign matters
- Easy to mount; can be mounted on glass panel

TECHNICAL SPECIFICATION

SWEEP (inch)	POWER	SPEED	AD	DUCT SIZE
4	15W	2400 RPM	140m ³ /hr	109 Ø mm
6	20W	2000 RPM	275m ³ /hr	150 Ø mm
8	45W	1600 RPM	520m ³ /hr	200 Ø mm

Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.

OXYBREEZ^{SQR}



Silent
Performance



Easy Clean



Powerful
Air Suction

FEATURES:

- Aerodynamically designed PP blades for higher air delivery
- Bird screen for protection against bird and foreign matters
- Ideal for kitchen/ bathroom

TECHNICAL SPECIFICATION

SWEEP (inch)	POWER	SPEED	AD	DUCT SIZE
6*	34W	2300 RPM	570m ³ /hr	190 x 185mm
8*	38W	1800 RPM	823m ³ /hr	243x238mm

*Product available only for Turnkey Projects;
not offered in General Trade.



OXYBREEZ^{LDBX}



Powerful Copper
Bush Motor



Powerful
Air Suction

FEATURES:

- Extremely Suitable for Store Rooms, kitchen, bathroom
- Front Protection Guard to protect fan
- Metal Blade and Powder Coated Finish for longer life

TECHNICAL SPECIFICATION

SWEEP (inch)	POWER	SPEED	AD	DUCT SIZE
9	45W	1370 RPM	600m ³ /hr	233x233 mm
12	65W	1370 RPM	1000m ³ /hr	317x317 mm

Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.

OXYBREEZ^{LDEX}



Powerful Copper
Bush Motor



Powerful
Air Suction

FEATURES:

- Extremely Suitable for kitchen
- Front Protection Guard to protect fan
- Metal Blade and Powder Coated Finish for longer life

TECHNICAL SPECIFICATION

SWEEP (Inch)	POWER	SPEED	AD
9	45W	1400 RPM	750m ³ /hr
12*	70W	1400 RPM	1600m ³ /hr

*Product available only for Turnkey Projects;
not offered in General Trade.





INDUSTRIAL FANS

Heavy Duty Exhaust Fans



FEATURES:

- Aerodynamically designed metal blades for higher air delivery
- Anti-corrosive treatment and attractive metallic finish
- 4 blade with double ball bearing motor

TECHNICAL SPECIFICATION

SWEEP (mm)	PHASE	POWER	SPEED	AD
300	Single	90 W	1400 RPM	1710 m ³ / hr
380*	Single	160 W	1400 RPM	3250 m ³ / hr
450*	Single	380 W	1400 RPM	6120 m ³ / hr
600*	Single	500 W	900 RPM	9400 m ³ / hr



Powerful Copper Bush Motor



High Air Thrust

* Also available in 3 Phase

Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.

AIR CIRCULATOR




Pedestal Fan



Wall Mounted Fan

FEATURES:

- Heavier base to ensure absolute stability
- 85° Oscillation for wider coverage
- Completely enclosed Heavy Duty Energy Efficient Motor with Double Ball Bearing for Longer Life.
- Anti-corrosive treatment and attractive metallic finish



Powerful Copper
Bush Motor



High Air
Thrust

TECHNICAL SPECIFICATION

SWEEP (mm)	POWER	SPEED	AD
450 *	100 W	1400 RPM	7500 m ³ / hr
600 *	200 W	1400 RPM	15000 m ³ / hr
750 *	300 W	1400 RPM	22200 m ³ / hr

Available in Single Phase and Three Phase



* Also available in 3 Phase

Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.





HVLS FAN

HIGH VOLUME LOW SPEED FAN TERA-TORON



Optional Features:

1. Single Phase Motor
2. Single HMI (4.3") interface for Multi-Fan Operation
3. BMS / BACnet Protocol Enabling
4. Control Panel with Digital Display and Soft Press Button with added functionality of Fault Indication and Fault Locator in Multi-Fan operation

Features & Benefits:



Low on Power Consumption



Uniform Air Circulation



Aerodynamic Blades



Aerodynamic Wingtip



Allowable Sound Level**



Forward Reverse Switch



Start & Stop from VFD Panel



Blade Safety Interlocking

*Terms and conditions apply

**OSHA Standard: Permissible Exposure Limit (PEL) for noise is 90dBA (Slow Response), as an 8 hr. Time-Weighted Average (TWA) in Industrial Environment

Disclaimer : Due to continuous product improvements, Product Image shown may vary from actual product.

HIGH VOLUME LOW SPEED FAN
TERA-TORON

Application:



Manufacturing Units



Warehouses



Shopping Malls



Supermarkets



Food Courts



Academic Institutions



Religious Institutions



Community Halls



Interstate Bus Terminals



Railway Terminals



Airport Terminals



Cow Sheds

HIGH VOLUME LOW SPEED FAN
TERA-TORON

Technical specification

Model Number	TT1-08GV (TT1-08GVS) [#]	TT1-12GV (TT1-12GVS) [#]	TT1-16GV (TT1-16GVS) [#]	TT1-20GV (TT1-20GVS) [#]	TT1-24GV (TT1-24GVS) [#]
Diameter	8 ft	12 ft	16 ft	20 ft	24 ft
Input Power	Three Phase - 50Hz (Single Phase - 50 Hz) [#]				
Blade Material	Extruded Aluminium Alloy T6 Grade (White Anodized)				
Number of Blades	5				
Hanging Weight (Vary as per Model)	135 Kg	141 Kg	160 Kg	168 Kg	177 Kg
Gear Box	Helical Gear				
Motor (IE 2)	1.0 HP / 0.75 kW		2.0 HP / 1.5kW		
Max. Speed (Variable from 0 to Max. Speed)	110 RPM	95 RPM	80 RPM	60 RPM	55 RPM
Air Delivery [*] (CFM)	86,000 CFM	1,60,000 CFM	2,30,000 CFM	3,20,000 CFM	4,20,000 CFM
Area Coverage (Approx. ft ²) ^{**}	3,200 ft ²	7,200 ft ²	13,000 ft ²	16,000 ft ²	24,000 ft ²
Floor to Ceiling Height	13 to 15 ft	15 to 18 ft	18 to 22 ft	22 to 27 ft	27 ft and above
Blade Clearance from Ceiling (Approx.)	5 ft				
Blade Clearance from Ground (Approx.)	13ft -30 ft				

* Standards: AMCA 230-99, AMCA 230-12 with 10% Correction factor

** Will vary as per Room Utilization Factor

Single phase - 50 Hz



R R Kabel Limited

Corp. Office:

R R Kabel Limited, Ram Ratna House, Oasis Complex, P. B. Marg, Worli, Mumbai, 400 013,
Tel No.: +91-22-24929009 / 24924144

www.rrglobal.com

Customer Care Toll Free No: 18001032676

Email: customercare@rrglobal.com

Terms & conditions apply. The products may differ as per catalog due to continuous improvements.
The colour shade of the products shown may differ from the actual products colour due to printing limitations.

Follow us on [f](#) [in](#)